

ANTREX Electronics

Electronic Components Sourcing Information

Product Reference Information

Part Number: 1727528

Manufacturer: Phoenix Contact

Package: Bulk


Availability: Please confirm with sales

Product Page:

<https://antrexco.com/product/details/phoenix-contact/1727528.html>

Request a Quote:

[Submit RFQ for this part](#)



Scan for product page

Contact Information

Email: info@antrexco.com

WhatsApp: +86-186-8066-5326

Website: <https://antrexco.com>

Quality & Trust

New & Original Components

Supplier verification and packaging condition review

CoC / RoHS / REACH documents available on request

Secure sourcing support for OEM / EMS projects

Note:

This PDF includes an ANTREX product reference cover page.

The original manufacturer datasheet follows from the next page.

Fuse holder - SI-H-FKS 30 - 1727528

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)



Printed circuit fuse carrier, for 5 mm wide automotive flat-type fuses up to max. 30 A

Why buy this product

- ☒ Fuse holder for flat-type fuses with a maximum nominal voltage of 32 V
- ☒ With snap-in foot for secure pre-assembly on the PCB



Key commercial data

Packing unit	1
Minimum order quantity	50
Catalog page	Page 157 (CC-2011)
GTIN	 4 017918 025700
Custom tariff number	85389099
Country of origin	GERMANY

Classifications

eclass

eCl@ss 4.0	272607xx
eCl@ss 4.1	27260701
eCl@ss 5.0	27260701
eCl@ss 5.1	27260701
eCl@ss 6.0	27260704
eCl@ss 7.0	27440402

etim

ETIM 3.0	EC002298
ETIM 4.0	EC002298

unspsc

UNSPSC 6.01	30211801
UNSPSC 7.0901	39121432

Fuse holder - SI-H-FKS 30 - 1727528

Classifications

unspsc

UNSPSC 11	39121432
UNSPSC 12.01	39121432
UNSPSC 13.2	39121432

Approvals

Approvals

Approvals

CSA / UL Recognized / GOST / UL Recognized / GOST

Ex Approvals

Approvals submitted

Approval details

CSA 

UL Recognized 		
	B	C
Nominal current I _N	30 A	30 A
Nominal voltage U _N	32 V	300 V

GOST 
--

UL Recognized 		
	B	D
Nominal current I _N	12 A	10 A
Nominal voltage U _N	250 V	300 V

Fuse holder - SI-H-FKS 30 - 1727528

Approvals



Accessories

Accessories

Fuse

Fuse - SI FORM C 2 A - 0913689

Flat-type plug-in fuse, type C, color code: gray, nominal current: 2 A

Fuse - SI FORM C 4 A DIN 72581 - 0913731

Flat-type plug-in fuse, type C, color code: pink, nominal current: 4 A

Fuse - SI FORM C 5 A DIN 72581 - 0913692

Flat-type plug-in fuse, type C, color code: light brown, nominal current: 5 A

Fuse - SI FORM C 7,5 A DIN 72581 - 0913702

Flat-type plug-in fuse, type C, color code: brown, nominal current: 7.5 A

Fuse - SI FORM C 10 A DIN 72581 - 0913715

Flat-type plug-in fuse, type C, color code: red, nominal current: 10 A

Fuse - SI FORM C 15 A DIN 72581 - 0913676



Flat-type plug-in fuse, type C, color code: light blue, nominal current: 15 A

Fuse - SI FORM C 20 A DIN 72581 - 0913744

Flat-type plug-in fuse, type C, color code: yellow, nominal current: 20 A

Fuse holder - SI-H-FKS 30 - 1727528

Accessories

Fuse - SI FORM C 25 A DIN 72581 - 0913757




Flat-type plug-in fuse, type C, color code: white, nominal current: 25 A

Fuse - SI FORM C 30 A DIN 72581 - 0913760

Flat-type plug-in fuse, type C, color code: light green, nominal current: 30 A

Drawings

Drilling diagram



Fuse holder - SI-H-FKS 30 - 1727528

Dimensioned drawing

