

# ANTREX Electronics

## Electronic Components Sourcing Information

---

### Product Reference Information

**Part Number:** 2833657

**Manufacturer:** Phoenix Contact

**Package:** Module

**Availability:** Please confirm with sales

**Product Page:**

<https://antrexco.com/product/details/phoenix-contact/2833657.html>

**Request a Quote:**

[Submit RFQ for this part](#)



Scan for product page

### Contact Information

Email: [info@antrexco.com](mailto:info@antrexco.com)

WhatsApp: +86-186-8066-5326

Website: <https://antrexco.com>

### Quality & Trust

New & Original Components

Supplier verification and packaging condition review

CoC / RoHS / REACH documents available on request

Secure sourcing support for OEM / EMS projects

**Note:**

This PDF includes an ANTREX product reference cover page.

The original manufacturer datasheet follows from the next page.

## Plug-in module - LDP- 12- 24DC - 2833657

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Plug-in module, for mounting on PR1 and PR2, with damping diode and yellow LED, polarity: A1+, A2-, input voltage: 12 -24 V DC  $\pm$  20%

### Product Features

- ✓ Mechanical coding to protect against mismatching
- ✓ Attenuation of reverse voltage induced in coil



### Key Commercial Data

|                                      |          |
|--------------------------------------|----------|
| Packing unit                         | 1 pc     |
| Minimum order quantity               | 10 pc    |
| Weight per Piece (excluding packing) | 3.02 g   |
| Custom tariff number                 | 85366990 |
| Country of origin                    | China    |

### Technical data

|               |                     |
|---------------|---------------------|
| Product type  | Plug-in module      |
| Approval      | UL Recognized       |
|               | cUL Recognized      |
|               | EAC                 |
|               | cULus Recognized    |
| Type          | PR1                 |
|               | PR2                 |
| Input voltage | 12 V DC ... 24 V DC |

## Plug-in module - LDP- 12- 24DC - 2833657

### Classifications

#### eCl@ss

|            |          |
|------------|----------|
| eCl@ss 4.0 | 27371190 |
| eCl@ss 4.1 | 27371190 |
| eCl@ss 5.0 | 27371692 |
| eCl@ss 5.1 | 27371692 |
| eCl@ss 6.0 | 27371603 |
| eCl@ss 7.0 | 27371603 |
| eCl@ss 8.0 | 27371010 |

#### ETIM

|          |          |
|----------|----------|
| ETIM 2.0 | EC001456 |
| ETIM 3.0 | EC001456 |
| ETIM 4.0 | EC001456 |
| ETIM 5.0 | EC000683 |

#### UNSPSC

|               |          |
|---------------|----------|
| UNSPSC 6.01   | 30211917 |
| UNSPSC 7.0901 | 39121516 |
| UNSPSC 11     | 39121516 |
| UNSPSC 12.01  | 39121516 |
| UNSPSC 13.2   | 39121516 |

### Approvals

#### Approvals

---

##### Approvals

UL Recognized / cUL Recognized / EAC / cULus Recognized

---

##### Ex Approvals

---

##### Approvals submitted

---

##### Approval details

## Plug-in module - LDP- 12- 24DC - 2833657

### Approvals

UL Recognized 

cUL Recognized 

EAC

cULus Recognized 

### Drawings

Circuit diagram

